

2002 рік - уточнена інформація

Статеві-вікові показники смертності

Додаток Б

Вік	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Всього випадків	Грубий	Станд.	Похибка
Всі злоякісні новоутворення																				C00-C96			
♂	3.8	7.7	6.0	4.9	7.5	11.3	14.1	19.9	34.5	72.9	166.6	335.6	527.1	688.2	1084.2	1134.9	1460.3	1291.0	892.4	52 298	234.3	168.4	0.6
♀	3.4	6.1	3.7	3.6	6.5	8.7	13.6	24.9	44.3	74.2	118.9	196.7	247.4	292.8	458.9	473.6	569.0	557.7	329.4	40 240	155.2	84.3	0.5
Всі злоякісні новоутворення (за виключенням немеланомних ЗН шкіри)																				C00-C96 (за винятком C44, C46.0)			
♂	3.8	7.7	6.0	4.9	7.5	11.3	14.1	19.8	34.3	72.5	166.2	334.5	525.6	685.7	1078.1	1127.3	1443.9	1264.6	855.5	51 962	232.8	167.3	0.6
♀	3.4	6.1	3.7	3.6	6.5	8.7	13.6	24.8	44.2	74.0	118.7	196.2	247.1	291.3	456.1	470.0	562.4	540.7	308.8	39 878	153.8	83.7	0.5
ЗН губи																				C00			
♂	-	-	-	-	-	-	-	0.1	0.1	0.1	0.6	1.4	1.6	2.7	4.5	6.8	13.2	10.8	20.8	271	1.2	0.9	0.0
♀	-	-	-	-	-	-	-	-	0.1	-	-	-	0.1	0.3	0.2	0.6	1.6	1.9	4.2	60	0.2	0.1	0.0
ЗН ротової порожнини																				C01-C08, C46.2			
♂	-	-	-	-	-	0.2	0.3	1.1	3.2	10.5	20.1	28.7	25.0	30.2	19.2	21.9	16.2	12.7	1695	7.6	5.7	0.1	
♀	-	-	-	0.1	0.1	0.1	0.1	0.3	0.5	0.6	1.4	1.2	1.4	3.6	3.8	4.8	7.0	5.6	304	1.2	0.6	0.0	
ЗН глотки																				C09-C14			
♂	-	-	0.1	0.1	0.1	-	-	0.1	0.5	2.6	9.0	17.5	22.3	19.3	20.0	14.5	13.7	11.5	8.1	1 301	5.8	4.4	0.1
♀	-	-	0.1	0.1	0.1	-	0.2	0.2	0.2	0.3	0.4	0.6	0.9	1.1	0.8	1.3	2.2	0.6	2.3	134	0.5	0.3	0.0
ЗН стравоходу																				C15			
♂	-	-	-	-	-	-	-	0.1	0.2	1.5	4.8	13.1	18.3	24.6	28.7	26.2	26.7	16.9	24.2	1 425	6.4	4.6	0.1
♀	-	-	-	-	-	-	-	-	-	0.1	0.2	0.3	0.6	0.8	1.7	3.0	3.9	4.9	2.3	173	0.7	0.3	0.0
ЗН шлунка																				C16			
♂	-	-	-	-	0.2	0.4	0.2	1.5	4.9	11.1	20.8	42.1	67.3	96.2	148.0	159.4	193.2	168.3	93.4	6 925	31.0	21.9	0.2
♀	-	-	-	-	0.1	0.3	0.9	2.2	3.1	7.0	10.4	15.4	22.7	30.2	54.4	59.5	74.1	70.1	41.7	4 404	17.0	8.5	0.1
ЗН ободової кишки																				C18			
♂	-	-	-	-	0.1	0.3	0.2	0.8	1.6	3.4	6.8	11.0	19.7	28.7	58.0	68.4	110.5	123.0	86.5	2 733	12.2	8.6	0.1
♀	-	-	-	-	-	0.1	0.2	0.5	1.3	2.3	5.4	9.7	14.8	22.2	37.5	42.2	57.5	57.6	30.1	3 050	11.8	5.5	0.1
ЗН прямої кишки, ануса																				C19-C21			
♂	-	-	-	-	0.1	0.2	0.3	0.4	1.3	3.0	5.1	11.8	21.2	34.3	66.3	87.4	129.8	117.6	94.5	3 092	13.9	9.5	0.1
♀	-	-	-	-	-	0.2	0.2	0.2	1.5	2.8	5.1	9.1	12.3	16.7	29.9	35.3	47.8	46.1	20.8	2 517	9.7	4.6	0.1
ЗН печінки та внутрішньопечінкових жовчних протоків																				C22			
♂	0.5	0.6	0.1	-	0.1	0.5	0.4	0.3	0.3	1.5	3.8	6.3	9.6	13.5	22.0	23.1	26.2	21.0	15.0	1 018	4.6	3.3	0.1
♀	0.6	0.1	-	-	0.1	0.1	0.1	0.2	0.5	0.7	1.5	3.1	3.8	5.4	9.5	10.4	10.0	9.3	5.3	710	2.7	1.4	0.1
ЗН жовчного міхура та позапечінкових жовчних протоків																				C23-C24			
♂	-	-	-	-	-	0.1	0.1	0.2	0.3	0.7	2.1	2.4	4.1	5.0	7.2	7.2	4.7	2.3	273	1.2	0.8	0.0	
♀	-	-	-	-	0.1	-	-	-	0.2	0.2	0.5	1.9	2.6	4.5	7.1	7.8	9.9	8.5	4.2	535	2.1	1.0	0.0
ЗН підшлункової залози																				C25			
♂	-	-	-	-	0.1	0.2	0.6	1.1	2.6	5.2	9.0	17.7	24.1	31.8	48.2	45.4	61.0	56.1	32.3	2 385	10.7	7.7	0.1
♀	-	-	-	-	0.1	0.1	0.2	0.4	1.0	1.2	3.1	6.0	10.1	14.1	25.1	27.6	32.1	32.5	18.9	1 899	7.3	3.5	0.1
ЗН порожнини носа, придаткових пазух та середнього вуха																				C30-C31			
♂	-	-	-	-	-	0.1	0.4	0.3	0.8	0.9	1.6	1.3	2.5	2.8	3.2	3.6	4.1	1.2	184	0.8	0.6	0.0	
♀	-	-	0.1	0.1	0.1	0.1	-	-	-	0.2	0.1	0.6	0.6	0.6	0.8	1.1	1.7	0.8	0.8	88	0.3	0.2	0.0

“-“ - випадків не зареєстровано; 0.0 - показник менший за 0.05

2002 рік - уточнена інформація

Статеві-вікові показники смертності

Додаток Б - продовження

Вік	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Всього випадків	Грубий	Станд.	Похибка		
ЗН гортані																							C32		
●	-	0.1	-	-	-	-	-	0.3	0.5	1.9	8.7	18.6	26.7	28.1	37.3	35.8	30.5	38.5	13.8	1 901	8.5	6.2	0.1		
▲	-	-	-	-	-	-	-	-	0.1	0.1	0.1	0.3	0.4	0.3	0.5	0.6	0.9	0.8	0.6	50	0.2	0.1	0.0		
ЗН трахеї, бронхів, легені																							C33-C34		
●	-	-	-	-	0.1	0.7	0.6	1.5	4.7	13.1	42.3	90.6	154.2	218.1	331.2	327.3	370.1	252.8	147.6	14 358	64.3	45.4	0.3		
▲	-	-	-	-	-	0.2	0.3	0.5	1.6	3.0	4.7	9.7	12.7	18.1	30.2	32.8	43.1	41.4	22.0	2 462	9.5	4.7	0.1		
ЗН тимуса																							C37		
●	-	-	0.1	-	0.1	0.3	0.6	0.3	0.2	0.2	0.3	0.5	0.2	0.3	0.6	0.1	0.2	-	-	56	0.3	0.2	0.0		
▲	-	-	-	-	0.1	0.2	0.4	0.4	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.3	-	0.3	39	0.2	0.1	0.0		
ЗН серця, межистіння																							C38 (за винятком C38.4)		
●	-	-	0.2	-	0.1	0.3	0.5	0.4	0.3	0.4	0.9	1.2	1.3	2.4	3.3	3.7	4.3	0.7	-	191	0.9	0.6	0.0		
▲	0.6	0.4	-	-	-	-	0.2	0.1	-	0.1	0.2	0.1	0.3	0.4	0.5	0.6	0.6	1.1	-	53	0.2	0.2	0.0		
ЗН плеври																							C38.4, C45.0		
●	-	-	0.1	-	-	-	-	0.1	0.1	0.4	0.4	0.8	0.8	1.8	1.5	2.7	1.4	3.4	1.2	109	0.5	0.3	0.0		
▲	-	-	-	-	-	-	-	-	0.2	0.2	0.3	0.5	0.6	0.6	1.0	1.0	0.8	0.4	0.6	80	0.3	0.2	0.0		
ЗН кісток та суглобових хрящів																							C40-C41		
●	-	-	0.2	0.2	1.0	1.1	0.4	0.6	0.1	1.1	1.7	2.7	2.8	3.5	3.9	3.2	6.0	2.7	2.3	314	1.4	1.1	0.1		
▲	-	-	0.2	0.4	1.0	0.3	0.2	0.6	0.4	0.6	0.5	0.8	0.8	1.0	2.1	1.7	1.8	3.0	2.3	210	0.8	0.6	0.0		
Меланома шкіри																							C43		
●	-	-	-	0.1	-	0.3	0.6	0.8	1.4	1.6	2.4	4.3	4.1	5.6	7.3	5.1	9.9	8.1	4.6	462	2.1	1.5	0.1		
▲	-	-	-	-	0.2	0.3	0.7	0.9	1.3	2.6	2.8	4.0	4.0	3.2	4.5	4.4	6.3	6.4	5.3	579	2.2	1.4	0.1		
Інші ЗН шкіри																							C44, C46.0		
●	-	-	-	-	-	-	-	0.1	0.2	0.4	0.4	1.2	1.5	2.4	6.1	7.6	16.3	26.4	36.9	336	1.5	1.1	0.0		
▲	-	-	-	-	-	-	-	0.1	0.1	0.2	0.2	0.5	0.3	1.5	2.8	3.6	6.5	17.0	20.6	362	1.4	0.5	0.0		
ЗН заочеревинного простору та очеревини																							C48		
●	-	0.6	0.2	0.1	0.1	-	0.2	0.5	0.2	0.9	0.9	2.0	1.3	2.9	4.4	4.8	6.2	6.1	-	251	1.1	0.9	0.1		
▲	-	0.6	0.2	0.1	0.1	0.1	0.1	0.2	0.3	0.3	1.1	1.2	2.0	2.2	4.7	3.7	4.9	5.9	1.4	337	1.3	0.8	0.1		
ЗН сполучної та м'якої тканини																							C 46.1, C49		
●	-	0.1	0.1	0.1	0.5	0.6	0.5	0.4	0.5	1.1	1.4	2.9	3.5	2.5	5.3	5.1	5.8	8.1	6.9	327	1.5	1.1	0.1		
▲	-	0.1	0.2	0.1	0.3	0.4	0.2	0.6	0.7	0.5	1.1	1.3	1.6	1.7	3.6	3.1	2.3	4.5	3.4	297	1.1	0.7	0.0		
ЗН молочної залози																							C50		
●	-	-	-	-	-	-	-	-	0.1	0.1	0.1	0.3	0.8	0.5	1.3	1.7	2.2	1.4	1.2	60	0.3	0.2	0.0		
▲	-	-	-	-	-	0.2	0.8	3.5	10.8	21.3	36.9	60.6	66.7	60.2	79.6	75.0	84.4	83.9	57.7	7 994	30.8	18.0	0.2		
ЗН вульви																							C51		
▲	-	-	-	-	-	0.1	-	-	0.2	0.3	0.3	0.4	0.9	2.1	4.3	6.6	9.4	10.6	6.2	396	1.5	0.6	0.0		
ЗН шийки матки																							C53		
▲	-	-	-	-	0.1	0.5	2.5	5.7	7.4	10.6	12.2	14.8	14.7	13.8	20.8	18.7	28.1	27.8	16.0	2 439	9.4	5.8	0.1		
ЗН тіла матки																							C54		
▲	-	-	-	-	0.1	0.1	0.1	0.2	0.5	2.0	3.0	7.9	14.3	21.0	31.8	29.0	32.6	27.4	12.9	2 182	8.4	4.2	0.1		

" - випадків не зареєстровано; 0.0 - показник менший за 0.05

2002 рік - уточнена інформація

Статеві-вікові показники смертності

Додаток Б - продовження

Вік	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Всього випадків	Грубий	Станд.	Похибка		
ЗН яєчника																							C56		
▼	-	-	-	0.1	0.6	0.8	0.9	1.1	2.9	5.6	10.3	17.5	20.2	22.9	30.6	28.3	27.2	20.6	8.7	2 622	10.1	5.9	0.1		
▲	-	-	-	0.1	0.6	0.8	0.9	1.1	2.9	5.6	10.3	17.5	20.2	22.9	30.6	28.3	27.2	20.6	8.7	2 622	10.1	5.9	0.1		
ЗН статевого члена																							C60		
▼	-	-	-	-	-	-	-	0.1	0.1	0.2	0.2	0.5	0.9	0.9	1.4	3.1	3.8	5.4	2.3	102	0.5	0.3	0.0		
▲	-	-	-	-	-	-	-	0.1	0.1	0.2	0.2	0.5	0.9	0.9	1.4	3.1	3.8	5.4	2.3	102	0.5	0.3	0.0		
ЗН передміхурової залози																							C61		
▼	-	-	-	0.1	-	-	-	0.1	0.2	0.3	1.2	5.1	11.9	25.3	61.2	87.3	144.7	165.6	126.8	2 758	12.4	8.3	0.1		
▲	-	-	-	0.1	-	-	-	0.1	0.2	0.3	1.2	5.1	11.9	25.3	61.2	87.3	144.7	165.6	126.8	2 758	12.4	8.3	0.1		
ЗН яєчка																							C62		
▼	-	-	-	-	0.4	1.0	1.8	0.9	1.3	1.0	0.6	0.4	1.2	0.8	1.0	1.1	1.9	-	4.6	177	0.8	0.7	0.0		
▲	-	-	-	-	0.4	1.0	1.8	0.9	1.3	1.0	0.6	0.4	1.2	0.8	1.0	1.1	1.9	-	4.6	177	0.8	0.7	0.0		
ЗН нирки																							C64		
▼	-	1.2	0.5	-	0.1	0.1	0.2	0.3	1.0	2.9	5.4	14.2	20.7	17.7	31.5	25.5	32.7	23.0	20.8	1 492	6.7	5.0	0.1		
▲	-	0.5	0.3	0.1	0.1	0.1	0.1	0.2	0.4	0.8	1.2	4.2	5.0	6.0	12.1	11.2	10.9	8.1	4.5	798	3.1	1.7	0.1		
ЗН сечового міхура																							C67		
▼	-	-	-	-	-	0.2	0.1	0.1	0.5	0.7	3.6	7.4	14.1	23.6	48.9	63.2	97.1	102.7	74.9	2 207	9.9	6.8	0.1		
▲	-	-	-	-	-	-	-	-	-	0.5	0.4	0.8	1.2	2.0	3.4	6.4	8.8	11.5	9.0	398	1.5	0.6	0.0		
ЗН ока																							C69		
▼	-	0.6	-	0.1	0.1	0.1	0.1	0.1	-	0.1	0.2	0.5	0.7	0.5	1.5	0.5	1.9	-	-	63	0.3	0.3	0.0		
▲	-	0.3	-	0.1	-	-	-	-	-	0.2	0.1	0.3	0.3	0.5	0.6	0.9	0.8	0.6	0.6	61	0.2	0.1	0.0		
ЗН мозку																							C71		
▼	0.5	1.1	2.0	2.0	0.9	1.0	1.8	2.0	2.7	3.9	6.4	9.5	11.8	8.9	13.4	6.7	5.0	-	2.3	950	4.3	3.6	0.1		
▲	-	1.4	0.7	1.0	1.3	0.9	1.2	1.6	2.5	3.0	4.1	6.1	7.4	5.7	5.4	4.0	1.7	2.3	0.6	765	3.0	2.4	0.1		
ЗН мозкових оболонок та ін. відділів ЦНС																							C70, C72		
▼	0.5	1.1	2.0	2.0	1.0	1.0	1.8	2.2	2.8	4.1	6.7	10.0	12.5	9.3	13.9	7.1	5.3	-	2.3	994	4.5	3.8	0.1		
▲	-	1.4	0.8	1.0	1.3	1.0	1.4	1.7	2.5	3.0	4.3	6.5	7.5	6.0	5.6	4.1	1.8	2.5	0.6	798	3.1	2.5	0.1		
ЗН щитовидної залози																							C73		
▼	-	-	-	-	-	-	-	-	0.1	0.2	0.7	1.2	1.7	0.9	2.0	2.1	3.6	4.7	1.2	117	0.5	0.4	0.0		
▲	-	-	-	-	-	0.1	0.1	0.2	0.5	0.5	0.6	1.6	1.8	1.7	3.9	3.8	5.2	3.4	2.0	300	1.2	0.6	0.0		
Хвороба Ходжкіна																							C81		
▼	-	0.1	0.1	0.1	0.5	1.5	1.6	1.5	1.7	1.4	2.1	1.2	2.7	3.2	3.1	2.6	4.3	1.4	-	335	1.5	1.2	0.1		
▲	-	-	-	0.1	0.3	1.9	1.7	2.0	2.0	1.2	1.0	0.7	1.4	1.0	1.5	1.0	1.6	1.1	0.6	282	1.1	0.9	0.1		
Неходжкінські лімфоми																							C82-C83, C85		
▼	-	0.7	0.8	0.4	0.9	0.8	0.9	1.6	1.2	1.9	2.3	4.0	6.8	7.7	11.2	10.3	14.7	10.8	9.2	677	3.0	2.4	0.1		
▲	-	0.3	0.2	0.5	0.3	0.3	0.5	0.6	0.7	0.8	1.8	1.3	2.1	3.5	5.6	6.6	5.6	7.6	1.7	489	1.9	1.1	0.1		
Периферичні та кожні Т-клітинні лімфоми																							C84		
▼	-	-	0.1	-	-	-	-	-	-	0.1	-	0.1	0.1	0.1	0.1	-	0.2	0.7	-	9	0.0	0.0	0.0		
▲	-	-	-	-	-	-	-	0.1	-	-	0.2	-	-	0.2	0.1	0.1	-	0.2	-	11	0.0	0.0	0.0		
Злоякісні імунопроліферативні захворювання																							C88		
▼	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1	-	0.5	0.2	0.7	-	9	0.0	0.0	0.0		
▲	-	0.1	-	-	-	-	-	-	-	-	0.1	-	-	0.1	-	-	-	0.2	-	6	0.0	0.0	0.0		

“-” - випадків не зареєстровано; 0.0 - показник менший за 0.05

2002 рік - уточнена інформація

Статеві-вікові показники смертності

Додаток Б - продовження

Вік	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Всього випадків	Грубий	Станд.	Похибка		
Множинна мієлома та злоякісні плазмоклітинні новоутворення																							C90		
▼	-	0.1	-	-	-	-	-	0.1	0.2	0.3	0.6	1.4	3.0	2.9	3.9	4.5	5.5	3.4	2.3	209	0.9	0.7	0.0		
▲	-	-	-	-	-	-	-	0.1	0.2	0.4	0.4	1.4	2.1	2.9	3.9	3.1	2.6	1.7	0.8	258	1.0	0.5	0.0		
Лейкемії (всі)																							C91-C95		
▼	2.2	2.3	1.8	1.6	2.3	1.8	1.0	1.8	2.5	2.8	4.4	6.3	11.1	13.7	25.6	27.8	34.6	35.1	18.4	1 402	6.3	5.0	0.1		
▲	1.7	2.0	1.4	1.1	1.4	1.2	1.2	1.7	1.9	2.4	3.6	5.2	7.5	9.3	15.7	14.0	13.9	10.4	4.8	1 278	4.9	3.3	0.1		
Лейкемія лімфоїдна																							C91		
▼	-	1.6	1.5	0.7	1.3	0.8	0.1	0.2	0.5	0.8	1.8	3.2	5.9	7.1	14.5	17.4	19.9	18.9	10.4	729	3.3	2.6	0.1		
▲	-	1.4	0.7	0.7	0.5	0.4	0.4	0.5	0.2	0.8	1.0	1.7	3.3	4.9	7.0	6.9	7.7	7.2	2.8	582	2.2	1.4	0.1		
З них: лейкемія лімфоїдна гостра																							C91.0		
▼	-	1.3	1.5	0.7	1.2	0.8	-	0.2	0.2	0.3	0.6	0.9	0.7	1.1	1.5	2.0	2.4	1.4	1.2	178	0.8	0.8	0.1		
▲	-	1.4	0.7	0.7	0.5	0.3	0.4	0.4	0.2	0.6	0.3	0.7	1.0	1.6	1.2	0.9	1.2	1.1	-	181	0.7	0.7	0.1		
Лейкемія мієлоїдна																							C92		
▼	1.6	0.4	0.2	0.5	0.7	0.6	0.6	0.9	1.1	1.4	1.5	2.3	3.0	3.9	6.3	6.9	8.4	7.4	3.5	408	1.8	1.4	0.1		
▲	0.6	0.4	0.2	0.2	0.8	0.5	0.7	0.7	1.1	1.1	1.6	2.1	2.5	3.0	5.2	4.3	3.7	1.5	1.4	433	1.7	1.1	0.1		
З них: лейкемія мієлоїдна гостра																							C92.0		
▼	0.5	0.4	0.2	0.2	0.4	0.3	0.4	0.4	0.3	0.5	0.6	0.6	0.7	1.3	2.3	2.2	3.1	1.4	1.2	145	0.6	0.5	0.0		
▲	0.6	0.4	0.2	0.2	0.4	0.2	0.5	0.5	0.3	0.5	0.7	0.8	0.8	0.9	2.2	1.3	1.3	0.4	0.8	172	0.7	0.5	0.0		
Лейкемія моноцитарна																							C93		
▼	-	0.1	-	0.2	0.1	-	-	0.1	0.1	0.1	0.1	0.2	0.4	0.4	0.5	0.4	1.0	1.4	-	38	0.2	0.1	0.0		
▲	-	0.3	-	-	-	0.2	0.1	-	0.2	0.2	0.1	0.3	0.3	0.4	0.4	0.1	0.2	0.2	-	41	0.2	0.1	0.0		
З них: лейкемія моноцитарна гостра																							C93.0		
▼	-	0.1	-	0.2	0.1	-	-	0.1	0.1	0.1	0.1	0.2	0.4	0.4	0.2	0.2	0.2	-	-	30	0.1	0.1	0.0		
▲	-	0.3	-	-	-	0.2	0.1	-	0.2	0.1	0.1	0.3	0.3	0.4	0.4	0.1	0.2	0.2	-	40	0.2	0.1	0.0		
Лейкемія інших уточнених клітинних типів																							C94		
▼	-	-	-	-	-	-	-	0.1	0.1	0.1	0.2	0.1	0.4	0.6	0.9	0.2	1.0	2.7	-	40	0.2	0.1	0.0		
▲	-	-	0.1	0.1	-	-	-	-	-	0.1	0.2	0.2	0.1	0.1	0.5	0.5	0.1	0.6	-	31	0.1	0.1	0.0		
З них: еритремія гостра та еритролейкемія																							C94.0		
▼	-	-	-	-	-	-	-	0.1	0.1	-	0.1	-	0.3	0.2	0.8	0.1	1.0	2.0	-	25	0.1	0.1	0.0		
▲	-	-	0.1	0.1	-	-	-	-	-	0.1	-	-	0.1	-	0.4	0.2	-	0.2	-	13	0.1	0.0	0.0		
Лейкемія неуточненого клітинного типу																							C95		
▼	0.5	0.2	-	0.2	0.3	0.3	0.3	0.5	0.7	0.4	0.7	0.5	1.2	1.7	3.3	2.9	4.3	4.7	4.6	187	0.8	0.7	0.0		
▲	1.1	-	0.3	0.1	0.1	0.2	0.1	0.4	0.4	0.3	0.8	0.9	1.3	0.9	2.6	2.2	2.3	0.8	0.6	191	0.7	0.5	0.0		
З них: лейкемія неуточненого клітинного типу гостра																							C95.0		
▼	0.5	0.1	-	0.2	0.3	0.3	0.2	0.5	0.6	0.4	0.7	0.4	0.7	1.4	2.4	2.5	1.9	2.7	4.6	146	0.7	0.5	0.0		
▲	1.1	-	0.2	0.1	0.1	0.2	-	0.4	0.4	0.3	0.5	0.7	1.2	0.7	2.1	1.7	1.8	0.2	-	151	0.6	0.4	0.0		
ЗН неуточненої первинної локалізації																							C77-C80		
▼	-	-	0.1	0.1	-	0.2	0.4	0.7	0.8	2.2	5.2	11.3	21.6	27.3	38.7	37.4	46.1	37.2	21.9	1 806	8.1	5.8	0.1		
▲	-	-	-	-	0.2	0.1	0.1	0.2	0.7	1.4	3.0	4.5	6.6	10.5	15.1	16.3	16.9	14.2	7.0	1 168	4.5	2.3	0.1		

"-" - випадків не зареєстровано; 0.0 - показник менший за 0.05