

2008 рік - уточнена інформація

Статеві-вікові показники захворюваності

Додаток Б

Вік	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Всього випадків	Грубий	Станд.	Похибка		
Всі злякисні новоутворення																							C00-C96		
▼	18.7	17.6	12.3	8.6	14.6	18.5	27.5	45.0	69.3	122.3	233.6	467.3	791.8	1263.6	1319.9	1987.4	1635.3	1937.8	1584.1	77901	365.8	256.2	1.0		
▲	21.5	13.2	9.7	10.6	15.7	24.8	47.6	88.3	141.5	211.3	316.7	455.8	583.3	780.3	709.9	1043.5	803.9	846.2	630.6	83513	335.5	191.3	0.7		
Всі злякисні новоутворення (за виключенням немеланомних ЗН шкіри)																							C00-C96 (за винятком C44, C46.0)		
▼	18.7	17.6	12.2	8.6	14.3	17.9	26.4	41.7	64.1	112.1	216.1	436.3	735.3	1164.3	1199.3	1763.4	1404.8	1595.3	1212.1	70188	329.6	232.1	0.9		
▲	21.5	13.2	9.6	10.3	15.4	24.3	46.5	84.4	135.6	201.5	298.3	424.4	532.9	698.0	615.0	875.9	630.1	635.3	427.0	72770	292.3	172.0	0.7		
ЗН губи																							C00		
▼	-	0.1	-	-	-	0.1	0.1	0.1	0.1	0.9	1.3	3.5	8.0	11.4	15.9	27.1	22.9	29.3	28.6	852	4.0	2.7	0.1		
▲	-	-	-	-	-	0.1	-	-	-	0.2	0.1	0.3	0.9	2.0	2.4	5.9	7.2	6.9	8.5	315	1.3	0.5	0.0		
ЗН ротової порожнини																							C01-C08, C46.2		
▼	-	-	-	-	-	0.2	0.4	0.4	1.5	4.1	11.4	21.1	31.2	39.4	27.4	28.9	14.7	20.2	16.0	1945	9.1	6.7	0.2		
▲	-	-	-	-	0.1	0.1	0.5	0.2	0.6	1.0	1.5	2.7	3.8	3.4	3.4	3.9	4.4	7.9	9.4	464	1.9	1.0	0.1		
ЗН глотки																							C09-C14		
▼	-	-	0.1	0.1	0.2	-	0.2	0.7	1.1	3.8	10.5	20.0	31.1	35.0	24.3	27.8	10.8	7.9	4.6	1770	8.3	6.1	0.1		
▲	-	-	-	-	0.1	0.1	0.3	0.4	0.8	0.8	1.2	2.0	1.6	2.6	1.7	1.7	1.5	1.8	1.8	242	1.0	0.6	0.0		
ЗН стравоходу																							C15		
▼	-	-	-	-	-	0.1	0.1	0.1	0.5	1.4	5.8	13.1	23.0	30.4	26.3	30.3	20.0	19.4	21.7	1509	7.1	5.1	0.1		
▲	-	-	-	-	-	-	-	0.1	0.2	0.1	0.2	0.6	1.3	1.3	2.4	4.1	3.5	5.6	2.1	230	0.9	0.4	0.0		
ЗН шлунка																							C16		
▼	-	-	-	-	-	0.1	0.8	3.3	6.0	11.9	23.6	44.2	70.4	120.9	126.5	185.7	151.4	188.3	123.6	7172	33.7	23.2	0.3		
▲	-	-	-	0.2	0.3	0.3	1.0	2.9	3.8	7.3	10.6	17.5	27.3	40.8	50.1	82.9	65.9	67.6	47.5	4893	19.7	9.6	0.2		
ЗН тонкого кишківника																							C17		
▼	-	-	-	-	-	0.1	0.1	0.2	0.1	0.4	0.6	0.5	1.4	1.4	1.8	2.5	1.8	1.6	2.3	111	0.5	0.4	0.0		
▲	-	-	-	-	0.1	-	-	-	0.1	0.1	0.4	0.7	0.8	1.4	0.7	1.7	0.7	0.5	-	97	0.4	0.2	0.0		
ЗН ободової кишки																							C18		
▼	-	-	0.1	-	0.1	0.3	0.5	1.6	3.2	5.9	9.7	19.9	40.0	75.3	86.8	152.1	118.4	149.0	123.6	4766	22.4	15.1	0.2		
▲	-	-	-	-	0.1	0.2	0.5	1.7	2.6	5.2	9.7	22.1	32.8	49.9	56.0	91.5	68.5	74.0	53.7	5364	21.5	10.5	0.2		
ЗН прямої кишки, ануса																							C19-C21		
▼	-	-	-	-	-	0.3	0.2	1.2	2.2	4.7	11.2	24.1	45.7	81.2	95.8	135.7	112.1	125.2	89.3	4774	22.4	15.3	0.2		
▲	-	-	-	-	-	0.1	0.6	1.0	2.2	4.0	10.8	20.6	29.4	46.7	44.4	69.7	51.9	52.2	33.1	4362	17.5	8.9	0.1		
ЗН печінки та внутрішньопечінкових жовчних протоків																							C22		
▼	1.7	0.5	-	-	0.2	0.1	0.3	0.7	1.1	1.7	2.9	6.5	11.8	15.4	15.8	23.8	16.3	22.2	24.0	976	4.6	3.3	0.1		
▲	1.3	0.4	0.1	0.2	0.3	0.2	0.6	0.6	0.6	0.4	1.6	2.4	4.5	5.7	6.5	10.3	9.3	9.7	6.2	684	2.7	1.4	0.1		
ЗН жовчного міхура та позапечінкових жовчних протоків																							C23-C24		
▼	-	-	-	-	-	-	0.1	0.2	0.3	0.6	0.8	2.2	3.2	5.0	5.7	10.2	9.6	13.5	10.3	362	1.7	1.1	0.1		
▲	-	-	-	-	-	-	-	0.1	0.3	0.3	1.1	2.4	4.6	6.2	7.5	14.3	11.5	10.3	7.6	746	3.0	1.4	0.1		
ЗН підшлункової залози																							C25		
▼	-	-	-	-	0.2	0.2	0.8	1.3	2.2	6.7	10.8	18.6	29.4	45.8	40.9	65.6	47.1	63.4	44.6	2684	12.6	8.8	0.2		
▲	-	-	-	-	0.1	-	0.3	0.5	1.0	2.3	3.9	6.3	10.7	19.3	22.0	38.4	32.4	36.7	26.7	2193	8.8	4.1	0.1		

"-" - випадків не зареєстровано; 0.0 - показник менший за 0.05

2008 рік - уточнена інформація

Статеві-вікові показники захворюваності

Додаток Б - продовження

Вік	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Всього випадків	Грубий	Станд.	Похибка		
ЗН порожнини носа, придаткових пазух та середнього вуха																							C30-C31		
▼	-	-	0.1	0.1	-	0.1	0.1	0.2	0.8	0.9	1.7	2.1	2.7	4.4	2.7	3.6	4.3	2.4	5.7	250	1.2	0.9	0.1		
▲	-	-	-	0.1	0.3	0.1	0.1	0.2	0.1	0.3	0.7	1.1	1.2	1.3	1.1	1.8	2.4	2.3	0.9	170	0.7	0.4	0.0		
ЗН гортані																							C32		
▼	-	-	-	-	-	-	0.1	0.3	1.6	4.5	11.0	24.1	42.1	47.1	38.8	41.7	24.5	26.2	11.4	2445	11.5	8.3	0.2		
▲	-	-	-	0.1	-	-	0.1	0.2	0.4	0.2	0.4	1.0	1.0	1.3	0.7	1.2	1.7	0.5	0.3	124	0.5	0.3	0.0		
ЗН трахеї, бронхів, легені																							C33-C34		
▼	-	-	-	0.2	0.1	0.6	0.7	1.9	4.9	13.5	38.8	100.1	165.6	261.6	277.1	377.8	281.1	262.0	172.8	14326	67.3	46.6	0.4		
▲	-	0.1	-	0.1	0.1	0.1	0.6	1.0	2.1	4.0	7.4	12.6	18.6	25.9	32.9	48.7	44.8	47.9	30.5	3172	12.7	6.2	0.1		
ЗН тимуса																							C37		
▼	-	-	-	-	0.1	0.5	0.2	0.2	0.3	0.2	0.4	0.7	0.5	0.7	0.2	0.6	-	0.4	-	61	0.3	0.2	0.0		
▲	-	-	-	-	0.1	0.2	0.2	0.3	0.1	0.2	0.3	0.3	0.4	0.5	0.2	0.4	0.1	0.3	-	55	0.2	0.2	0.0		
ЗН серця, межистіння																							C38 (за винятком C38.4)		
▼	0.8	0.1	0.1	0.1	0.1	0.3	0.3	0.2	0.4	0.3	0.8	1.3	1.9	2.7	2.6	4.5	4.1	2.4	1.1	198	0.9	0.7	0.1		
▲	0.4	0.1	-	0.1	0.1	0.1	0.2	0.4	0.2	0.2	0.6	0.3	0.6	0.7	0.6	1.4	0.8	1.1	-	104	0.4	0.3	0.0		
ЗН плеври																							C38.4, C45.0		
▼	-	-	-	-	-	0.1	-	-	0.3	0.3	0.8	1.3	1.4	2.6	2.1	3.3	3.5	2.8	1.1	152	0.7	0.5	0.0		
▲	-	-	-	-	-	-	-	-	0.2	0.1	0.5	0.5	0.8	1.6	1.3	2.0	1.2	1.0	1.8	125	0.5	0.3	0.0		
ЗН кісток та суглобових хрящів																							C40-C41		
▼	-	0.1	1.0	1.1	1.4	0.8	0.7	0.7	0.9	1.0	1.2	2.0	2.9	2.5	2.8	6.0	2.9	4.4	3.4	322	1.5	1.3	0.1		
▲	-	-	0.5	1.4	1.0	0.8	0.8	0.4	0.4	0.5	0.9	0.8	1.3	1.5	1.4	2.2	1.2	1.4	1.5	238	1.0	0.8	0.1		
Меланома шкіри																							C43		
▼	-	0.1	0.1	0.1	0.5	0.8	1.2	2.6	3.5	4.0	5.5	7.4	9.8	16.7	13.5	20.3	16.9	26.6	22.9	1118	5.2	3.8	0.1		
▲	-	-	-	0.2	0.6	1.1	2.3	4.1	3.9	6.1	7.8	8.1	11.5	12.6	10.8	16.9	13.3	14.4	12.0	1613	6.5	4.0	0.1		
Інші ЗН шкіри																							C44, C46.0		
▼	-	-	0.1	-	0.2	0.7	1.1	3.3	5.2	10.2	17.6	31.0	56.5	99.2	120.5	224.0	230.4	342.4	372.0	7713	36.2	24.1	0.3		
▲	-	-	0.1	0.3	0.3	0.5	1.2	3.9	6.0	9.8	18.3	31.3	50.4	82.2	94.8	167.6	173.9	210.9	203.5	10743	43.2	19.4	0.2		
Мезотеліома (за викл. мезотеліоми плеври)																							C45.1-9		
▼	-	-	-	-	0.1	-	-	0.2	0.1	-	0.1	0.3	0.4	0.1	0.3	0.6	0.2	0.4	-	28	0.1	0.1	0.0		
▲	-	-	0.1	-	-	-	0.1	0.1	0.1	0.1	0.1	0.2	0.3	0.8	0.6	0.6	0.1	-	-	43	0.2	0.1	0.0		
ЗН заочеревинного простору та очеревини																							C48		
▼	1.2	1.3	0.3	-	-	0.3	0.2	0.4	0.6	1.2	0.9	2.2	2.8	4.0	3.4	5.3	5.3	5.5	4.6	292	1.4	1.1	0.1		
▲	3.1	0.8	0.1	0.2	0.1	0.3	0.2	0.3	0.4	1.1	1.5	1.9	2.6	2.8	3.6	4.4	3.7	4.8	2.9	394	1.6	1.0	0.1		
ЗН сполучної та м'якої тканини																							C 46.1, C49		
▼	0.4	0.2	0.2	0.1	0.7	0.8	0.9	0.9	1.1	2.1	2.2	3.2	5.6	6.5	6.4	9.2	4.1	8.3	13.7	503	2.4	1.8	0.1		
▲	2.2	0.6	0.1	0.4	0.6	0.7	0.6	1.0	1.4	1.3	1.7	3.0	3.0	4.3	4.0	5.8	4.9	4.5	1.5	520	2.1	1.4	0.1		
ЗН молочної залози																							C50		
▼	-	-	-	-	-	-	-	0.1	0.1	0.2	0.4	1.2	1.8	1.7	1.9	4.2	2.7	3.6	4.6	142	0.7	0.5	0.0		
▲	-	-	-	-	0.1	0.7	4.3	13.9	32.6	61.4	94.2	120.0	134.2	170.3	127.4	165.5	103.6	113.3	77.1	16365	65.7	39.8	0.3		

“-“ - випадків не зареєстровано; 0.0 - показник менший за 0.05

2008 рік - уточнена інформація

Статеві-вікові показники захворюваності

Додаток Б - продовження

Вік	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Всього випадків	Грубий	Станд.	Похибка		
ЗН вульви																							C51		
▲	-	-	-	-	-	0.1	-	0.1	0.2	1.0	1.1	1.5	3.0	3.9	6.3	12.4	12.0	15.4	14.7	709	2.8	1.2	0.1		
ЗН піхви																							C52		
▲	-	-	-	-	-	-	0.1	0.1	0.2	0.2	0.6	0.7	0.8	1.7	0.8	2.1	1.4	1.4	1.5	134	0.5	0.3	0.0		
ЗН шийки матки																							C53		
▲	-	-	-	-	0.1	1.9	9.6	22.9	35.6	38.2	40.6	39.8	34.8	32.5	23.1	26.6	17.0	14.3	7.0	5282	21.2	15.4	0.2		
ЗН тіла матки																							C54		
▲	-	-	-	-	0.1	0.1	1.2	2.0	6.0	13.9	27.0	53.6	75.3	93.5	67.3	73.7	42.3	30.5	14.7	6929	27.8	16.6	0.2		
ЗН матки неуточної частини																							C55		
▲	-	-	-	-	-	-	0.1	0.1	0.1	0.2	0.7	1.1	1.0	0.9	0.7	0.8	0.3	0.4	0.6	96	0.4	0.2	0.0		
ЗН яєчника																							C56		
▲	-	-	0.4	0.3	1.1	2.3	3.3	6.0	9.2	17.0	23.4	30.6	32.2	38.9	32.0	39.3	21.6	20.0	10.6	4066	16.3	10.4	0.2		
ЗН інших придатків матки																							C57		
▲	-	-	-	-	-	-	0.1	0.1	0.2	0.3	0.7	0.8	1.0	1.0	0.6	0.8	0.4	0.1	-	89	0.4	0.2	0.0		
ЗН плаценти																							C58		
▲	-	-	-	-	0.1	0.5	0.7	0.4	0.4	0.2	0.2	0.1	-	-	-	-	-	-	-	47	0.2	0.2	0.0		
ЗН статевого члена																							C60		
▼	-	-	-	-	-	0.1	0.1	0.4	0.4	0.5	0.7	1.8	1.4	3.0	3.0	4.5	4.7	5.5	6.9	207	1.0	0.7	0.0		
ЗН передміхурової залози																							C61		
▼	-	-	-	-	0.1	0.1	-	0.1	0.1	0.5	2.9	11.1	35.7	101.2	137.0	244.1	245.7	286.6	234.6	6710	31.5	20.3	0.3		
ЗН яєчка																							C62		
▼	3.3	0.6	0.1	0.1	1.1	2.1	4.4	4.9	4.9	3.7	1.6	0.9	1.4	2.1	1.5	2.5	2.4	2.0	5.7	498	2.3	2.0	0.1		
ЗН нирки																							C64		
▼	3.7	2.3	0.3	0.2	0.1	0.2	0.4	1.1	3.7	7.5	16.5	28.5	41.3	59.7	42.6	57.0	40.4	42.4	30.9	3109	14.6	10.8	0.2		
▲	3.5	2.1	0.7	0.3	0.1	0.6	0.3	1.5	2.7	3.5	7.5	12.8	21.0	26.8	19.1	29.9	16.6	12.2	10.0	2197	8.8	5.4	0.1		
ЗН ниркової миски																							C65		
▼	-	-	-	-	-	-	-	-	0.1	0.1	0.1	-	0.7	1.0	0.7	1.5	1.2	0.4	1.1	48	0.2	0.2	0.0		
▲	-	-	-	-	-	-	-	-	-	-	-	0.3	0.1	0.3	0.4	0.6	0.5	0.1	0.3	30	0.1	0.1	0.0		
ЗН сечоводу																							C66		
▼	-	-	-	-	-	-	-	-	-	-	0.1	0.3	0.2	0.1	1.0	0.8	0.4	1.2	1.1	31	0.1	0.1	0.0		
▲	-	-	-	-	-	-	-	-	0.1	-	0.1	-	-	0.2	0.1	0.2	-	0.4	-	12	0.0	0.0	0.0		
ЗН сечового міхура																							C67		
▼	-	-	-	-	0.1	0.2	0.5	1.2	2.0	4.8	9.1	16.8	35.1	66.1	80.9	129.9	112.5	144.3	115.6	4261	20.0	13.4	0.2		
▲	-	-	-	-	0.1	0.3	0.2	0.3	0.6	1.0	1.5	2.6	4.9	8.7	9.6	15.8	14.3	17.7	14.1	978	3.9	1.8	0.1		
ЗН ока																							C69		
▼	0.8	1.0	0.4	0.1	-	-	0.2	0.3	0.2	0.3	0.3	0.9	1.2	2.6	1.4	2.4	1.6	0.8	1.1	128	0.6	0.6	0.1		
▲	2.2	0.4	0.2	-	0.1	0.1	0.1	0.2	0.4	0.2	0.6	0.8	0.8	1.4	1.0	1.0	1.3	0.7	0.6	132	0.5	0.4	0.0		

" - " - випадків не зареєстровано; 0.0 - показник менший за 0.05

2008 рік - уточнена інформація

Статеві-вікові показники захворюваності

Додаток Б - продовження

Вік	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Всього випадків	Грубий	Станд.	Похибка	
ЗН мозкових оболонок та ін. відділів ЦНС																						C70-C72		
▼	1.2	1.8	3.3	1.9	1.9	1.8	3.1	3.8	5.1	6.1	7.3	10.8	13.0	16.3	11.3	14.0	7.1	5.2	-	1275	6.0	5.0	0.2	
▲	2.6	2.1	2.8	2.6	1.6	1.6	2.4	3.4	4.7	4.2	6.2	8.6	10.3	10.0	7.0	7.4	3.5	3.1	2.3	1215	4.9	4.0	0.1	
з них: ЗН головного мозку																						C71		
▼	1.2	1.7	3.2	1.9	1.6	1.8	2.9	3.8	4.7	5.9	6.9	10.4	12.5	16.1	10.9	13.4	6.9	5.2	-	1224	5.7	4.8	0.1	
▲	2.6	2.1	2.6	2.2	1.4	1.5	2.3	3.2	4.4	4.0	6.0	8.2	9.9	9.6	6.7	6.9	3.4	2.9	2.3	1156	4.6	3.8	0.1	
ЗН щитовидної залози																						C73		
▼	-	-	-	0.1	0.4	0.7	1.3	2.3	1.6	2.6	3.3	3.8	4.2	5.4	3.4	4.0	3.1	4.8	4.6	451	2.1	1.6	0.1	
▲	-	-	0.1	0.3	1.3	3.7	5.6	8.2	11.0	12.6	15.2	18.1	17.3	18.8	11.8	11.5	5.9	4.4	2.9	2287	9.2	6.8	0.1	
ЗН інших ендокринних залоз																						C74-C75		
▼	0.4	0.2	-	0.2	0.1	0.1	0.2	0.1	0.3	0.4	0.4	1.0	1.4	1.8	1.6	2.4	1.2	1.6	-	124	0.6	0.5	0.0	
▲	1.8	-	-	-	-	0.1	0.1	0.3	0.4	0.2	0.4	0.6	0.9	1.2	0.4	1.0	0.8	0.5	-	99	0.4	0.3	0.0	
Лімфоми та інші імуні- та лімфопроліферативні новоутворення																						C81-C85, C88, C90		
▼	-	1.0	1.1	2.0	3.6	4.5	5.5	6.7	7.6	7.4	8.1	11.9	17.9	24.2	21.8	30.7	18.8	19.4	14.9	1961	9.2	7.2	0.2	
▲	-	0.4	0.5	1.5	4.6	5.9	7.5	7.2	6.1	5.0	6.1	9.9	12.2	17.3	15.1	18.8	13.8	10.6	5.6	2061	8.3	5.9	0.1	
з них: Хвороба Ходжкіна																						C81		
▼	-	0.2	0.2	0.9	2.8	2.9	3.9	3.6	3.8	3.1	2.1	2.6	3.1	2.7	2.2	4.3	1.2	2.0	2.3	556	2.6	2.2	0.1	
▲	-	-	0.3	1.2	3.6	4.8	5.4	5.5	3.4	2.5	1.4	1.4	1.1	2.2	1.4	1.0	0.8	1.2	1.5	603	2.4	2.3	0.1	
Неходжкінські лімфоми																						C82-C83, C85		
▼	-	0.8	0.9	1.1	0.8	1.5	1.5	2.9	3.1	3.1	4.5	7.0	9.8	13.6	14.0	18.2	11.8	10.7	10.3	1021	4.8	3.7	0.1	
▲	-	0.1	0.2	0.3	1.0	1.1	2.1	1.7	2.2	1.9	3.3	5.1	6.6	8.8	8.5	11.8	9.5	7.8	4.1	997	4.0	2.5	0.1	
Множинна мієлома та злоякісні плазмоклітинні новоутворення																						C90		
▼	-	-	-	-	-	-	0.1	-	0.4	1.1	1.4	1.7	4.6	7.4	4.8	6.7	4.5	5.2	2.3	324	1.5	1.1	0.1	
▲	-	-	-	-	-	-	-	-	0.5	0.6	1.2	2.9	4.3	5.8	4.7	5.3	3.5	1.4	-	420	1.7	1.0	0.1	
Лейкемії																						C91-C95		
▼	3.7	7.7	4.6	2.2	2.8	2.5	2.0	1.8	2.9	3.2	5.7	9.1	17.4	21.5	26.6	39.9	31.6	33.3	25.2	1843	8.7	7.1	0.2	
▲	4.0	5.6	3.5	2.4	1.8	1.6	1.8	1.9	2.6	3.4	4.9	6.8	10.4	15.6	15.9	25.9	16.2	11.8	4.7	1759	7.1	5.0	0.2	
з них: Лейкемія лімфоїдна																						C91		
▼	2.1	6.2	3.8	1.4	1.3	1.1	0.9	0.4	0.5	1.1	3.1	4.8	10.1	13.2	16.7	24.8	18.6	19.4	17.2	1062	5.0	4.3	0.2	
▲	2.6	4.5	3.0	1.6	1.2	0.5	0.5	0.6	0.9	1.1	1.4	2.5	4.6	7.7	8.3	14.0	9.0	7.6	2.9	878	3.5	2.7	0.1	
Лейкемія мієлоїдна																						C92		
▼	0.4	0.7	0.3	0.7	1.1	0.9	0.7	0.8	1.5	1.4	1.2	2.8	3.5	3.3	6.4	9.7	9.2	8.7	5.7	463	2.2	1.6	0.1	
▲	1.3	0.7	0.3	0.6	0.5	0.7	0.9	0.9	1.1	1.4	2.1	2.8	3.8	5.2	4.2	7.3	3.7	2.4	0.6	543	2.2	1.5	0.1	
Лейкемія неуточненого клітинного типу																						C95		
▼	1.2	0.8	0.5	0.2	0.2	0.4	0.3	0.1	0.5	0.3	0.5	0.4	1.6	2.2	2.1	2.6	2.7	3.2	1.1	162	0.8	0.7	0.1	
▲	-	0.2	0.2	0.2	-	0.2	0.2	0.3	0.2	0.7	0.9	0.8	1.2	1.0	1.7	2.6	1.6	1.1	0.9	184	0.7	0.5	0.0	
ЗН неуточної первинної локалізації																						C77-C80		
▼	-	-	-	-	0.1	0.2	0.5	1.2	1.4	3.7	7.1	17.8	28.5	43.6	43.3	57.9	55.1	61.0	35.5	2505	11.8	8.1	0.2	
▲	-	-	-	-	-	0.1	0.3	0.5	0.9	2.8	3.5	6.8	12.0	19.6	20.2	29.3	25.6	24.7	12.0	1871	7.5	3.7	0.1	

“-” - випадків не зареєстровано; 0.0 - показник менший за 0.05